


XRVS - 1050 with XC4004 Controller








INSTALLED VIEW



2 SETS OF THESE COMPONENTS REQUIRED



Notes:

- 2 Dimensions are in MM
- 3 Holes in Bracket are for M10 Bolts
- 4 Mount Standard FirePro Bracket as shown

FIRE SA		
Title	Approved By	Drawn By
Atlas Copco X		PM
•	Date	Scale
-19 FirePro F	15-10-19	No

Standard FirePro Bracket

1 Bracket Material - Mild Steel Bar 40 x 10mm - Painted

FETY EQUIPMENT PTY LTD


RVS-1050 CX-004 Controller re Suppression System

Drawing No

XRVS-1050-2

Ε

XRVS - 1050 with XC4004 Controller





FirePro Fire Suppression System

XRVS-1050-3

Ε

			XRVS - 1050 with XRVS - 1050 with XBILL OF MA		oller		
Part No	Qty		Description	Part No	Qty		
FP-3000S	1		3000g SS Aerosol Generator	FP-08860	1	Praise Innt Fields States Statution Control of Control States (Control States) (Control Sta	Shutdown Module -
FP-06100	1	and the second	HD SS Bracket to suit 1200 - 5700	FP-08873	1		Battery Backup Mod
FP-08800	1	HIGH BALANCE	FirePro Test Module	FP-14053	2	FIRE	External Actuator S
FP-06910	1	-	Dust Seals – to suit FP1200-5700	FP-14016	1	0	Battery cable conne 2 Pin Male Deutsch
FP-08451	1	Handward And States	Control Panel - FirePro detection and Activation Panel	FP-09500	40		Cable 2 core 0.75m
X-XRVS-1050-1	1	\Diamond	Special Bracket for Mounting FirePro Aerosol Generator on Atlas Copco XRVS-1050 Compressor	FP-08825	1	\bigvee	Thermal Fuse with (
X-XRVS-1050-2	1		Special Bracket for Mounting Control Equipment on Atlas Copco XRVS-1050 Compressor	FP-08940	1	LATABLE VIL	Siren / Strobe with
DP-3010	2	AND A	Deutsch Plug – 3 Pin Male, c/w pins and heatshrink to suit	FP-09510-08	1	\bigcirc	Linear Heat Detection with 2 pin Deutsch I
DP-3020	2		Deutsch Plug – 3 Pin Female, c/w pins and heatshrink to suit	Misc	16		P-clips to suit FP-09
DP-2010	4		Deutsch Plug – 2 Pin Male, c/w pins and heatshrink to suit	FP-08961	1		Sign - System Warni
DP-2020	4		Deutsch Plug – 2 Pin Female, c/w pins and heatshrink to suit	FP-08950	2		End of Line Resistor
FP-08945	1		WaterProof Enclosure for Control Panel				
							FIRE SAFET
						1 . 1	

	Title	Approved By	Drawn By
Atlas Copco XRVS-			PM
•		Date	Scale
FirePro Fire S		15-10-19	No

Description

e - to suit 8451

1odule 12-24vDC NiMH

^r Switch with Bracket

nection x 3m with 5A Fuse ch Plug and Ballery Terminal Connectors

mm Shielded FR x 1m

h Coupling

h EOL diode Installed

ction 180deg C Cable x 8m h Plugs fitted

09510 LHD

rning Vinyl - Vehicle

or

ETY EQUIPMENT PTY LTD

S-1050 CX-004 Controller Suppression System Drawing No

XRVS-1050-4

Rev. E