

		FIRE SAFE
Drawn By PM	Approved By	Title
Scale	Date	Atlas Copco XR
No	15-10-19	FirePro Fire

2 Mounting of FirePro unit See drawing 3 Mounting of Control Panel See Drawing

XRVS-1350-2 XRVS-1350-3

Manual Actuator

Siren Strobe

VSS Control Panel

FirePro Aerosol Generator - FP-3000S

Shutdown Module

----- Linear Heat Detection 185°C



000000


INSTALLED VIEW

Notes:

- 2 Dimensions are in MM
- 3 Holes in Bracket are for M8 Bolts
- 4 Mount Standard FirePro Bracket as shown

			FIRE SAFE
Drawn By	Approved By	Title	
PM			Atlas Copco XR\
Scale	Date		•
No	15-10-19		FirePro Fire

XRVS-1350 with XC4003 Controller



Standard FirePro Bracket

1 Bracket Material - Mild Steel Bar 40 x 10mm - Painted

ETY EQUIPMENT PTY LTD

RVS-1350 CX-003 Controller re Suppression System

Drawing No

XRVS-1350-2

В

XRVS-1350 with XC4003 Controller















Notes:

- 1 Dimensions are in MM
- 2 Bracket FP-08451B

			_
		FIRE SA	١F
Drawn By	Approved By	Title	
PM		Atlas Copco X	R
Scale	Date		
No	15-10-19	FirePro F	ir



FETY EQUIPMENT PTY LTD

RVS-1350 CX-003 Controller ire Suppression System

Rev

			XRVS-1350 with X0	ANNA Contro	ller		
			BILL OF MA		лет		
Part No	Qty		Description	Part No	Qty		
FP-3000S	1		3000g SS Aerosol Generator	FP-08860	1	FR-BLOD FAIR Frances, SIRENA 5-UHUTOONA MODULE WITH SALE AND A SALE AND A SALE MILLION AND A SALE A	Shutdown Module -
FP-06100	1		HD SS Bracket to suit 1200 - 5700	FP-08873	1		Battery Backup Mod
FP-08800	1	HORE BEEN A	FirePro Test Module	FP-14053	2	FIRE	External Actuator Sv
FP-06910	1		Dust Seals – to suit FP1200-5700	FP-14016	1	0	Battery cable conne 2 Pin Male Deutsch
FP-08451	1	Descript - Letroprom Next0 Profile Cristi 1 Kan Profile Profil	Control Panel - FirePro detection and Activation Panel	FP-09500	30		Cable 2 core 0.75m
FP-08451B	1		Control Panel Mounting Bracket to suit FP-08451	FP-08825	1	\checkmark	Thermal Fuse with (
FP-08451C	1		Control Panel - FirePro detection and Activation Panel	FP-08940	1	A CONTRACTOR OF THE OWNER	Siren / Strobe with I
DP-3010	2	STATES	Deutsch Plug – 3 Pin Male, c/w pins and heatshrink to suit	FP-09510-08	1	\bigcirc	Linear Heat Detection with 2 pin Deutsch R
DP-3020	2		Deutsch Plug – 3 Pin Female, c/w pins and heatshrink to suit	Misc	16		P-clips to suit FP-09
DP-2010	4		Deutsch Plug – 2 Pin Male, c/w pins and heatshrink to suit	FP-08961	1		Sign - System Warni
DP-2020	4		Deutsch Plug – 2 Pin Female, c/w pins and heatshrink to suit	FP-08950	2		End of Line Resistor

		FIRE SAFE
Drawn By	Approved By	Title
PM		Atlas Copco XRVS
Scale	Date	•
No	15-10-19	FirePro Fire S

Description

e - to suit 8451

1odule 12-24vDC NiMH

⁻ Switch with Bracket

nection x 3m with 5A Fuse ch Plug and Ballery Terminal Connectors

mm Shielded FR x 1m

h Coupling

h EOL diode Installed

ction 180deg C Cable x 8m h Plugs fitted

09510 LHD

rning Vinyl - Vehicle

or

TY EQUIPMENT PTY LTD

S-1350 CX-003 Controller Suppression System Drawing No

XRVS-1350-4

Rev. B